



Infosafe No™	1CH73	Issue Date : March 2018	RE-ISSUED by CHEMSUPP
--------------	-------	-------------------------	-----------------------

Product Name : **TIN METAL (Foil, Granules)**

Not classified as hazardous

1. Identification

GHS Product Identifier TIN METAL (Foil, Granules)

Company Name CHEM-SUPPLY PTY LTD (ABN 19 008 264 211)

Address 38 - 50 Bedford Street GILLMAN
SA 5013 Australia

Telephone/Fax Number Tel: (08) 8440-2000
Fax: (08) 8440-2001

Recommended use of the chemical and restrictions on use Tin plated steel containers for food preservation, tin alloys (brasses and bronzes, bell metal, Babbitt metal, die casting alloy, pewter, phosphor bronze, type, and White metal), soldering alloys for electrical/electronic and general industrial applications, specialized alloys such as dental amalgams, titanium alloys used in aircraft engineering, niobium-tin and indium-tin alloys used in superconducting cables and magnets and indium-tin oxide for metallic photonic crystals, low-melting alloys for fire control, organ pipes, tin alloys are important in the production of coatings by electroplating and hot tinning (the most important of these are tin-zinc, tin-nickel, tin-cobalt, and tin-copper), tin coatings (applied to most metal surfaces by electrodeposition, while in hot-dipping, molten tin wets and adheres readily to clean iron, steel, copper, and copper-base alloys), corrosion-resistant coatings (for lead or zinc and steel), cladding, tinned wire (all copper wire that is to be rubber covered), collapsible tubes, anodes for electron plating, manufacture of chemicals (tin salts), block tin (used to coat copper cooking utensils and lead sheet, or to line lead pipe for distilled water, beer, carbonated beverages, and some chemicals), powder metallurgy applications, exothermic welding, catalysts, colours, stabilizer, cast and wrought forms, window glass manufacture (' Pilkington process') and transportation applications.

Other Names	Name	Product Code
	TIN METAL Foil 0.2mm LR	TL017
	TIN METAL Granules LR	TL018
	Stannum	

Other Information EMERGENCY CONTACT NUMBER: +61 08 8440 2000
Business hours: 8:30am to 5:00pm, Monday to Friday.

Chem-Supply Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Chem-Supply Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of Chem-Supply Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.

2. Hazard Identification

GHS classification of the substance/mixture Classified as non-Hazardous according to the Globally Harmonised System of classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

3. Composition/information on ingredients

Chemical Characterization					
Ingredients	Name	CAS	Proportion	Hazard Symbol	Risk Phrase
	Tin	7440-31-5	100 %		

4. First-aid measures

Inhalation In the unlikely event of dizziness or nausea, remove casualty to fresh air.

Ingestion Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. DO NOT INDUCE VOMITING. Seek immediate medical advice.

Skin Wash affected area thoroughly with copious amounts of running water. Remove contaminated clothing and wash before reuse. Seek medical attention in severe cases, or if irritation develops.

Eye contact If contact with the eye(s) occurs, wash with copious amounts of water for approximately 15 minutes holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. Seek medical attention.



Infosafe No™	1CH73	Issue Date : March 2018	RE-ISSUED by CHEMSUPP
--------------	-------	-------------------------	-----------------------

Product Name : **TIN METAL (Foil, Granules)**

Not classified as hazardous

First Aid Facilities	Maintain eye wash and normal washroom facilities.
Advice to Doctor	Treat symptomatically and supportively.
Other Information	For advice, contact a Poisons Information Centre (Phone eg Australia 13 1126; New Zealand 0800 764 766) or a doctor.

5. Fire-fighting measures

Hazards from Combustion Products	Irritating and/or highly toxic fumes and gases, tin/tin oxides.
Specific Methods	Use extinguishing media most appropriate for the surrounding fire. Small fire: Use dry chemical, CO ₂ , water spray or foam.
Precautions in connection with Fire	Wear SCBA and structural firefighter's uniform.

6. Accidental release measures

Personal Precautions	Avoid substance contact. Avoid generation of dusts: do not inhale dusts. Ensure supply of fresh air in enclosed rooms.
Personal Protection	Wear protective clothing specified for normal operations (see Section 8)
Clean-up Methods - Small Spillages	Sweep up and place in a labelled container for subsequent safe disposal.

7. Handling and storage

Precautions for Safe Handling	Avoid ingestion and inhalation of dust/granules/foil. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Minimize dust generation and accumulation. Keep containers closed when not in use. Use in designated areas with adequate ventilation. Keep away from incompatibles such as oxidizing agents, acids, alkalis.
Conditions for safe storage, including any incompatibilities	Store in tightly closed containers, in a cool, dry, well-ventilated area away from incompatible substances. Separated from oxidising agents.

8. Exposure controls/personal protection

Occupational exposure limit values	Name	STEL		TWA		Footnote
		mg/m ³	ppm	mg/m ³	ppm	
	Tin			2		
Other Exposure Information	A time weighted average (TWA) has been established for Tin, metal (Safe Work Australia) of 2 mg/m ³ . The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week.					
Appropriate engineering controls	In industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.					
Respiratory Protection	Usually not required. Where ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.					
Eye Protection	The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.					
Hand Protection	Hand protection should comply with AS 2161, Occupational protective gloves - Selection, use and maintenance.					
Personal Protective Equipment	Final choice of personal protective equipment will depend on individual circumstances and/or according to risk assessments undertaken.					
Body Protection	Clean clothing or protective clothing should be worn. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.					



Infosafe No™	1CH73	Issue Date : March 2018	RE-ISSUED by CHEMSUPP
--------------	-------	-------------------------	-----------------------

Product Name : **TIN METAL (Foil, Granules)**

Not classified as hazardous

Hygiene Measures Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.**9. Physical and chemical properties**

Form	Solid
Appearance	Almost silver-white to gray, lustrous, malleable metal; cubic (gray); tetragonal (white); rhomboidal (tin brittle); granules, foil, or powder. At -40 °C crumbles to gray amorphous powder (gray tin); slowly changes back above 20 °C to white tin; brittle at 200 °C.
Odour	Odourless.
Melting Point	231.9 °C.
Boiling Point	2270 °C; 2507 °C; 2602 °C.
Solubility in Water	Insoluble in water.
Solubility in Organic Solvents	Soluble in hydrochloric acid, sulfuric acid, aqua regia, alkali; slightly soluble in dilute nitric acid.
Specific Gravity	7.265 (white); 5.769 (gray).
Vapour Pressure	1.3332 hPa at 1492 °C.
Viscosity	1.85 mPa.s (cP) @ 240 °C.
Volatile Component	0 %vol @ 21 °C
Surface Tension	544 mN/m (@ 231.9 °C).
Flammability	Non combustible material.
Auto-Ignition Temperature	Dust Cloud: 630 °C; Dust Layer: 430 °C.
Flammable Limits - Lower	> 99.99 % (powder).
Explosion Properties	The finely divided dust may form flammable/explosive mixtures with air. It may present a dust explosion hazard in the presence of an ignition source. Minimum explosible concentration: 0.19 g/l. Particle size and air concentration determine reactivity. Tin reacts violently or explosively with fused ammonium nitrate below 200 °C. Contact of metallic tin with turpentine may cause fires and explosions.
Molecular Weight	118.69.
Other Information	Tin has two allotropic forms at normal pressure; at -40 °C crumbles to gray amorphous powder (gray tin; alpha); slowly changes back above 20 °C to white tin (beta); brittle @ 200 °C. Transformation temp: (beta in equilibrium with alpha) 13.2 °C. Resistivity of white tin: 11.0 μ-Ohm cm @ 0 °C; 15.5 μ-Ohm cm @ 100 °C; 20.0 μ-Ohm cm @ 200 °C; 22.0 μ-Ohm cm @ mp (solid); 45.0 μ-Ohm cm @ mp (liquid).

10. Stability and reactivity

Chemical Stability	Stable against air and water under normal temperatures, pressures and conditions of handling and storage. Powder oxidizes, especially in the presence of air and moisture. At high temperatures, it burns with an intensive white flame and forms tin oxide.
Conditions to Avoid	Excess heat, flames, ignition sources, dust generation and incompatible materials. Powder is air and moisture sensitive.
Incompatible Materials	Oxidizing agents (sodium peroxide and potassium peroxide, potassium dioxide, fused ammonium nitrate below 200 °C, cupric nitrate, in the presence of water), strong acids (generation of hydrogen) (nitric acid, hydrochloric acid), strong bases, halogens and halogen trifluorides (fluorine at 100 °C, heat + chlorine, tin chloride, carbon tetrachloride, in the presence of water vapour, bromine, chlorine trifluoride in the presence of carbon, disulfur dichloride), sulfur, some extinguishing agents such as bicarbonate powder and carbon dioxide, tellurium, turpentine, water + heat, mixtures with air in the presence of an ignition source.
Hazardous Decomposition Products	Toxic and/or irritating fumes and gases, tin/tin oxides.
Possibility of hazardous reactions	Reacts with strong oxidants. Tin reacts violently or explosively with fused ammonium nitrate below 200 °C. In the presence of water, cupric nitrate and tin foil, on prolonged and intimate contact, will produce flaming and sparking. Sodium peroxide and potassium peroxide, potassium dioxide, oxidize tin with incandescence. Reacts violently with strong acids and some extinguishing agents such as bicarbonate powder and carbon dioxide. Reactive with alkalis. The violent reaction between tin and bromine is



Infosafe No™	1CH73	Issue Date : March 2018	RE-ISSUED by CHEMSUPP
--------------	-------	-------------------------	-----------------------

Product Name : **TIN METAL (Foil, Granules)**

Not classified as hazardous

controlled in halocarbon solutions. Tin /begins to burn at 100 °C in fluorine. Reaction with chlorine trifluoride, in the presence of carbon, is violent. Reacts violently with bromine trifluoride. Tin reacts violently with Iodine Bromide. When heated in Chlorine, Tin reacts, producing light and much heat. Interaction with carbon tetrachloride, in the presence of water vapour, is violent. Interaction with disulfur dichloride is violent. Reaction with sulfur is vigorous and accompanied by incandescence. Contact of metallic tin with turpentine may cause fires and explosions. The reaction between tin and tellurium attains incandescence. Experiments involving explosions of molten tin and water are described. The finely divided dust may form flammable/explosive mixtures with air. It may present a dust explosion hazard in the presence of an ignition source, when exposed to heat or by spontaneous chemical reaction with Br₂, BrF₃, S, Cl₂, ClF₃, Cu(NO₃), K₂O₂.

Hazardous Polymerization

Will not occur.

11. Toxicological Information

Ingestion	May be harmful if swallowed. Ingested metallic tin exhibits only moderate toxicity due to poor absorption from the digestive tract and rapid tissue turnover. Ingestion of large doses of powdered tin may cause gastrointestinal irritation, nausea, cramps, vomiting, and diarrhoea (which may be from irritant or astringent action on the stomach), but not permanent injury. Inorganic tin salts, which may form with corrosion depending on a number of factors, including the presence of oxidising agents (oxygen, nitrate) and acids, may cause nausea, vomiting and diarrhoea, may interfere with various enzyme systems and may cause systemic effects on the central nervous system, heart and liver, if ingested in concentrations in excess of 300-500 mg/kg.
Inhalation	Inhalation of tin dust may cause irritation, due to mechanical action, to nose, throat and respiratory tract, with coughing. Inhaled dust or fumes may cause benign, symptomless pneumoconiosis (stannosis). This form of pneumoconiosis produces distinctive progressive x-ray changes of the lung as long as exposure persists, but there is no distinctive fibrosis, no evidence of disability, and no special complicating factors. Inhalation of fumes may cause metal fume fever, which is characterized by flu-like symptoms with metallic taste, fever, chills, cough, weakness, chest pain, muscle pain and increased white blood cell count.
Skin	May cause mild skin irritation, resulting in redness and itchiness.
Eye	Dust may cause eye irritation due to mechanical action, with redness and pain. Granules and foil may cause eye damage due to mechanical action.
Carcinogenicity	Not listed in the IARC Monographs.
Reproductive Toxicity	Tin [resp/skin]: animal-possible increase in subtle neurological & skeletal deformities (from: 'Reproductive Hazards of the Workplace' by Linda M. Frazier, MD, MPH & Marvin L. Hage, MD).
Chronic Effects	Prolonged and/or repeated contact may cause irritation and/or dermatitis. Chronic exposure to dust or fumes may have effects on the lungs, resulting in a benign pneumoconiosis (stannosis). This form of pneumoconiosis produces distinctive progressive x-ray changes of the lung as long as exposure persists, but there is no distinctive fibrosis, no evidence of disability, and no special complicating factors.

12. Ecological information

Ecological Information	No ecological problems are to be expected when the product is handled and used with due care and attention.
Ecotoxicity	Quantitative data on the ecological effect of this product are not available.
Environmental Protection	Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Disposal Considerations	Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and disposed of according to relevant local, state and federal government regulations.
--------------------------------	--

14. Transport information

Transport Information	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
------------------------------	--

15. Regulatory information

Regulatory Information	Not listed under WHS Regulation 2011, Schedule 10 - Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Listed in the Australian Inventory of Chemical Substances (AICS).
Poisons Schedule	Not Scheduled



chem-supply

Safety Data Sheet

infosafe
CS: 1.7.2

Page: 5 of 5

Infosafe No™ 1CH73 Issue Date : March 2018 RE-ISSUED by CHEMSUPP

Product Name : **TIN METAL (Foil, Granules)**

Not classified as hazardous

16. Other Information

Literature 'Standard for the Uniform Scheduling of Medicines and Poisons .', Commonwealth of Australia.
References Lewis, Richard J. Sr. 'Hawley's Condensed Chemical Dictionary 13th. Ed.', Rev., John Wiley and Sons, Inc., NY, 1997.
National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road and Rail 7th. Ed.', 2007.
Safe Work Australia, 'National Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals', 2011.
Standards Australia, 'SAA/SNZ HB 76:2010 Dangerous Goods - Initial Emergency Response Guide', Standards Australia/Standards New Zealand, 2010.
Safe Work Australia, 'Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]'.
Safe Work Australia, 'Hazardous Substances Information System, 2005'.
Safe Work Australia, 'National Code of Practice for the Labelling of Safe Work Hazardous Substances (2011)'.
Safe Work Australia, 'National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995) 3rd Edition]'.
Contact Paul McCarthy Ph. (08) 8440 2000
Person/Point **DISCLAIMER STATEMENT:**
All information provided in this data sheet or by our technical representatives is compiled from the best knowledge available to us. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use, or misuse, are beyond our control, we make no warranty either expressed or implied, with respect to the completeness or accuracy to the information contained herein. Chem-Supply accepts no responsibility whatsoever for its accuracy or for any results that may be obtained by customers from using the data and disclaims all liability for reliance on information provided in this data sheet or by our technical representatives.

Empirical Formula & Structural Formula Sn

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.