
SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Manganese, flake, Mn, max. flake size 25mm, weight 200 g, purity 99.95%

Product Number : GF73564577
Brand : Aldrich
CAS-No. : 7439-96-5

1.2 Other means of identification

No data available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other uses.

1.4 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pty. Ltd.
Suite 1, Level 1, Building B
11 Talavera Road
MACQUARIE PARK NSW 2113
AUSTRALIA

Telephone : +61 1800 800 097

1.5 Emergency telephone

Emergency Phone # : Free call (24/7): 1800 448 465
Int'l (24/7): +61 2 9037 2994
(CHEMTREC)

SECTION 2: Hazards identification

2.1 GHS Classification

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

3.1 Substances

Molecular weight : 54.94 g/mol
CAS-No. : 7439-96-5

Hazardous ingredients

Aldrich- GF73564577

Page 1 of 9



Component	Classification	Concentration
manganese, metallic flakes / coarsely powdered		
		<= 100 %

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Special powder against metal fire

5.2 Special hazards arising from the substance or mixture

Manganese/manganese oxides

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.



6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Keep away from heat and sources of ignition.

Recommended storage temperature 15 - 25 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
manganese, metallic flakes / coarsely powdered	7439-96-5	TWA	1 mg/m ³	Australia. Workplace Exposure Standards for Airborne Contaminants.
	Remarks	National Commission documentation available for these values		
		TWA	1 mg/m ³	Australia. Workplace Exposure Standards for Airborne Contaminants.
		ACGIH is the documentation source		
		STEL	3 mg/m ³	Australia. Workplace Exposure Standards for Airborne Contaminants.
		ACGIH is the documentation source		
		TWA	1 mg/m ³	Australia. Workplace Exposure Standards for Airborne Contaminants.
		TWA	1 mg/m ³	Australia. Workplace Exposure Standards for Airborne Contaminants.
		STEL	3 mg/m ³	Australia. Workplace Exposure Standards for Airborne Contaminants.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Aldrich- GF73564577

Page 3 of 9

The life science business of Merck operates as MilliporeSigma in the US and Canada



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|-------------------------------|
| a) Appearance | Form: flakes
Color: silver |
| b) Odor | odorless |
| c) Odor Threshold | No data available |
| d) pH | No data available |
| e) Melting point/freezing point | 1,241 - 1,247 °C |
| f) Initial boiling point and boiling range | 1,962 °C |



g) Flash point	Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Relative density	0.721 g/cm ³
n) Water solubility	0.0007 g/l at 20 °C
o) Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p) Autoignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

no information available

10.5 Incompatible materials

acids, Halogens, Bases, Phosphorus, Sulfur oxides, Hydrogen peroxide, Oxidizing agents, Nitric acid, Sodium Hydroxide, Carbon dioxide (CO₂), Nitryl Flouride, Steam

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Manganese/manganese oxides

In the event of fire: see section 5



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg
(OECD Test Guideline 420)

LC50 Inhalation - Rat - male and female - 4 h - > 5.14 mg/l
(OECD Test Guideline 403)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h
(OECD Test Guideline 405)

Respiratory or skin sensitization

- Mouse

Result: Does not cause skin sensitization.
(OECD Test Guideline 429)

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 3.6 mg/l - 96 h (OECD Test Guideline 203) Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	Immobilization NOEC - Daphnia magna (Water flea) - 1.6 mg/l - 48 h (OECD Test Guideline 202) Remarks: No toxicity at the limit of solubility.
Toxicity to algae	Growth inhibition EC50 - Desmodesmus subspicatus (green algae) - 4.5 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	Respiration inhibition EC50 - Sludge Treatment - 1,000 mg/l - 3 h (OECD Test Guideline 209)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local No mixing with other waste. Handle uncleaned containers like the product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3208

IMDG: 3208

IATA-DGR: 3208

14.2 UN proper shipping name

ADR/RID: METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.

IMDG: METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.

IATA-DGR: Metallic substance, water-reactive, n.o.s.

Passenger Aircraft: Not permitted for transport



Aldrich- GF73564577

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 9

